

Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

DORINE® EC 50

Reg. No. L4913 Act No. 36 of 1947
Namibian Reg. No. N-AR 0588

Reg. Nr. L4913 Wet Nr. 36 van 1947
Namibiese Reg. Nr. N-AR 0588

AN EMULSIFIABLE CONCENTRATE FOR USE IN ASSOCIATION WITH RESIDUAL SPRAYS TO INCREASE THE FLUSHOUT AND KNOCKDOWN OF CRAWLING INSECTS SUCH AS COCKROACHES IN DOMESTIC AND INDUSTRIAL PREMISES (INCLUDING FOOD HANDLING AND PROCESSING ESTABLISHMENTS).

'N EMULGEERBARE KONSENTRAAT VIR GEBRUIK IN ASSOSIASIE MET NAWERKENDE SPUITMIDDELS VIR DIE UITSPOEL EN UITKLOP VAN KRUIPENDE INSEKTE SOOS KAKKERLAKKE IN HUISHOUDELIKE- EN INDUSTRIËLE PERSELE (INGESLUIT VOEDSELHANTERINGS EN - VERWERKINGSPERSELE).

ACTIVE INGREDIENTS/AKTIEWE BESTANDEDELE:

Esbiothrin (pyrethroid)	50 g/l	Esbiotrien (piretroïed)
Piperonyl Butoxide	300 g/l	Piperonielbutoksied

NET CONTENTS: / NETTO INHOUD: 1 l

REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.
Reg. No. / Nr. 1968/011192/07
P.O. Box / Posbus 143
ISANDO 1600
SOUTH AFRICA / SUID-AFRIKA
TEL: (011) 921 5911

Batch no./Lotnommer:

Date manufactured/Datum vervaardig:

DORINE® is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.

UN No. / VN Nr. 1993



WARNINGS:

Harmful if swallowed. May irritate skin and eyes.
Keep out of reach of children, uninformed persons and animals.
Toxic to fish, bees and wildlife.
Do not spray directly onto food or feedstuffs.
Flammable - store away from open flames, food and feed.
In case of poisoning call a doctor and make this label available to him.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids. In case of signs of sensitivity, obtain medical advice.
Do not inhale spray mist.
Wear protective clothing and face shield when handling and applying.
Avoid skin contact and wash with soap and water after accidental skin contact.
Do not eat, drink or smoke whilst mixing or applying before washing face and hands.
Rinse empty container three times with a volume of water equal to a minimum of 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the container. Destroy empty container and do not re-use for any other purpose.

SYMPTOMS OF HUMAN POISONING

Excitement, gastrointestinal discomfort, tremor, dizziness, headache, listlessness, nausea and vomiting, epigastric pain, muscular fasciculation of limbs, unconsciousness, convulsions and coma (very high doses).

FIRST AID AND TREATMENT

Remove patient from source of poisoning to a well-ventilated area and keep him quiet and reassured.
Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and water. Do not rub skin. Flush contamination out of eyes with clean water for 15 minutes and call a physician. After ingestion, do not induce vomiting. Wash out mouth with water. Call a physician immediately.

NOTE TO PHYSICIAN

Treat symptomatically.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

To be used for flushing and knockdown of crawling insects in association with residual sprays such as **Super Crackdown**[®] (Reg. No. L4584 Act No. 36 of 1947).

Dilute 20 ml **Dorine**[®] **EC 50** concentrate plus 40 ml **Super Crackdown**[®] in 5 l water as a tank mix, immediately prior to use. Mix well and apply at the rate of 5 l / 100 m², or to the point of run off.

Vir enige produk navrae, skakel Bayer Environmental Science - 011 921 5911. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

DORINE[®] and **SUPER CRACKDOWN**[®] are registered trademarks of Bayer.

© Bayer (Pty) Ltd. All unauthorized reproduction of the label is forbidden.

www.bayeres.co.za

WAARSKUWINGS:

Skadelik indien ingesluk. Kan vel en oë irriteer.

Hou buite die bereik van kinders, oningeligte persone en diere.

Giftig vir visse, bye en wild.

Moet nie direk op voedsel of voer toedien nie.

Vlambaar - bewaar weg van oop vlamme, voedsel en voer.

In geval van vergiftig ontbied 'n dokter onmiddellik en stel die etiket tot sy beskikking.

VOORSORGMATREËLS:

Moenie in die teenwoordigheid van persone wie sensitief is vir piretroïede gebruik nie. In die geval van tekens van sensitiwiteit, kry mediese hulp.

Moenie spuitmis inasem nie.

Dra beskermende klere en gesigskerm wanneer hanteer en toegedien word.

Vermyn kontak met die vel en was met seep en water na toevallige velkontak.

Moet nie eet, drink of rook tydens vermenging of toediening, alvorens hande en gesig gewas is nie.

Spoel leë houer drie keer uit met 'n volume water gelykstaande aan 'n minimum van 10 % van die houer.

Gooi die spoelwater by die inhoud van die spuittenk voordat die houer vernietig word. Vernietig leë houer en moet vir geen ander doel herbruik nie.

SIMPTOME VAN VERGIFTIGING

Angstigtheid, spysverteringskanaal ongemak, rillings, duiseligheid, hoofpyn, rusteloosheid, naarheid en braking, maagpyn, spier fassikulasie van ledemate, bewusteloosheid, stuiptrekkings en koma (baie hoë dosisse).

EERSTEHULP BEHANDELING

Verwyder pasiënt van die bron van vergiftiging en hou hom kalm en gerusgestel. Verwyder besoedelde klere en spoel die besmette liggaamsdele deeglik met baie seep en koue water af. Moenie die vel hard vryf nie. Besmette oë moet vir minstens 15 min. of langer met skoon water uitgespoel word. Kontak 'n geneesheer. Indien ingesluk, moenie braking induseer nie. Was mond met water uit. Kontak 'n geneesheer onmiddellik.

NOTA AAN GENEESHEER

Behandel simptome.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI.

Vir gebruik vir uitdrijving en uitklopping van kruipende insekte in assosiasie met nawerkende spuitmiddels soos **Super Crackdown**[®] (Reg. Nr. L4584, Wet Nr. 36 van 1947).

Verduin 20 mℓ **Dorine**[®] **EC 50** konsentraat plus 40 mℓ **Super Crackdown**[®] in 5 ℓ water as 'n tenkmengsel, onmiddellik voor gebruik. Meng goed en dien toe teen 'n dosis van 5 ℓ / 100 m², of tot die punt van afloop.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

DORINE[®] en **SUPER CRACKDOWN**[®] is geregistreerde handelsmerke van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopiëring van die etiket is verbode.

www.bayeres.co.za