

Bayer Environmental Science



Before using this product read the label carefully. / Lees die etiket noukeurig alvorens die produk gebruik word.

NEOPYBUTHRIN®

Reg. No. L4582 Act No. 36 of 1947
Namibian Reg. No. N-AR 0592

Reg. Nr. L4582 Wet Nr. 36 van 1947
Nambiese Reg. Nr. N-AR 0592

MISTING AND FOGGING SOLUTION FOR THE CONTROL OF COCKROACHES, HOUSE FLIES AND MOTHS FOUND IN BAKERIES, KITCHENS, WAREHOUSES AND FOOD PROCESSING PLANTS. ALSO CONTROLS ANTS, BEDBUGS, MOSQUITOES, FISHMOTHS AND FLEAS.

KOUE EN TERMIESE NEWELOPLOSSING VIR DIE BEHEER VAN KAKKERLAKKE, HUISVLIEË EN MOTTE IN BAKKERYE, KOMBUISE, STORE EN IN PERSELE WAAR VOEDSEL VERWERK WORD. OOK VIR DIE BEHEER VAN MIERE, WEELUISE, MUSKIETE, VISMOTTE EN VLOOIE.

ACTIVE INGREDIENTS: / AKTIEWE BESTANDELE:

Permethrin (pyrethroid) (25/75 cis/trans isomers)	3,0 g/l	Permetrien (piretroïed) (25/75 cis/trans isomere)
d-Allethrin (pyrethroid)	1,5 g/l	d-Allethrien (piretroïed)
Piperonyl butoxide	3,0 g/l	Piperonielbutoksied

NETTO CONTENTS: / NETTO INHOUD: 5 l

REGISTRATION HOLDER / REGISTRASIEHOUER:

Bayer (Pty.) Ltd. / (Edms.) Bpk.
Reg. No. / Nr. 1968/011192/07
P.O. Box / Posbus 143
ISANDO 1600
SOUTH AFRICA / SUID-AFRIKA
TEL: (011) 921 5911

Batch no: / Lotnommer:

Date manufactured: / Datum vervaardig:

NEOPYBUTHRIN® is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.

UN No. / VN Nr. 3082




**HARMFUL
SKADELIK**



WARNINGS:

May cause irritation of the skin, eyes, mucous membranes and skin sensitization.

Handle with care.

Toxic if swallowed.

Keep out of reach of children, uninformed persons and animals.

Store away from food and feedstuffs.

Flammable - do not spray near open flames.

Toxic to fish and wildlife.

Avoid excessive wetting of plastic, rubber or asphalt surfaces.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids.

In the case of signs of sensitivity, obtain medical advice.

Do not breathe spray mist excessively and avoid skin contact.

Wash with soap and water if contaminated.

Do not eat, drink or smoke whilst applying or before washing hands and face or change of clothing.

Prevent contamination of food and feedstuffs, drinking water and eating utensils. Destroy empty container by perforation and flattening and do not use for any other purpose.

SYMPTOMS OF HUMAN POISONING

Numbness of lips and tongue, sneezing, nausea, vomiting, diarrhoea, headache, restlessness, incoordination, chronic convulsions, stupor, prostration.

FIRST AID AND TREATMENT

Remove patient from source of poisoning to a well-ventilated area and keep him quiet and reassured. Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and water. After eye contact, flush contamination out of eyes with clean water and call a doctor. If swallowed do not induce vomiting. Wash out mouth with water and call a doctor immediately.

NOTE TO PHYSICIAN

Treat symptomatically.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

1. Misting

Neopybuthrin[®] should be applied by means of a suitable cold mist generator capable of producing a very fine mist.

Flying insects:

- a) Close windows during spraying and for 30 minutes afterwards.
- b) Use approximately 1 ℓ / 3 000 m³.
- c) Spray once or twice weekly until infestation is brought under control.

2. Fogging

Neopybuthrin[®] should be applied through any suitable thermal fogging machine such as the 'SWINGFOG'.

Flying insects:

- a) Close windows and doors during fogging and if possible leave closed overnight.
- b) Fog all areas at the rate of 1 ℓ / 1 000 m³.
- c) Treatment at weekly intervals is recommended until infestation is brought under control.

Crawling insects:

- a) Close windows and doors during fogging and if possible leave closed overnight.
- b) Fog all areas at the rate of 2 ℓ / 1 000 m³.
- c) Treatment at weekly intervals is recommended until infestation is brought under control.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

NEOPYBUTHRIN[®] is a registered trademark of Bayer.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

www.bayeres.co.za

WAARSKUWINGS:

Kan vel, oë en slymvliese irriteer en vel sensitiseer.
Hanteer versigtig.
Giftig indien ingesluk.
Hou buite bereik van kinders, oningeligte persone en diere.
Bewaar weg van voedsel en voer.
Vlambaar - moet nie naby oop vlamme spuit nie.
Giftig vir visse en wild.
Vermy oormatige benutting van plastiek, rubber en teeroppervlakke.

VOORSORGMAATREËLS:

Moet nie in die teenwoordigheid van persone wie sensitief is vir piretroïede, gebruik nie.
In die geval van tekens van sensitiwiteit, kry mediese hulp.
Moenie spuitmiddel oormatig inasem nie en vermy aanraking met die vel.
Was met seep en water indien besmet.
Moet nie eet, drink of rook gedurende toediening, of voordat hande en gesig gewas en klere verwissel is nie. Voorkom besoedeling van voedsel, voer, drinkwater en eetgerei.
Vernietig leë houers deur gate daarin te maak en plat te slaan en moet nie vir enige ander doel gebruik nie.

SIMPTOME VAN VERGIFTIGING

Lamheid van lippe en tong, nies, mislikheid, braking, buikloop, hoofpyn, rusteloosheid, gebrek aan koördinasie, stuiptrekkings, gevoelloosheid, uitputting.

EERSTEHULP BEHANDELING

Verwyder pasiënt van die bron van vergiftiging na 'n goed geventileerde omgewing en hou hom kalm en gerusgestel. Verwyder besoedelde klere en spoel die besmette liggaamsdele deeglik met baie seep en koue water af. Na oogkontak, spoel besmette oë uit met skoon water en kontak 'n geneesheer. Indien ingesluk, moenie braking induseer nie. Spoel mond met water uit en kontak 'n geneesheer onmiddellik.

NOTA AAN GENEESHEER

Behandel simptome.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI.

1. Koue verneweling

Neopybuthrin[®] behoort aangewend te word deur middel van 'n doeltreffende koue misontwikkelaar, wat in staat is om 'n fyn newel te produseer.

Vlieënde insekte:

- a) Hou deure en vensters toe terwyl u spuit en vir 30 minute daarna.
- b) Gebruik ongeveer 1 ℓ / 3 000 m³.
- c) Spuit een of twee maal weklíks totdat infestasié onder beheer is.

2. Termiese verneweling

Neopybuthrin[®] behoort aangewend te word met enige doeltreffende termiese newelontwikkelaar soos die 'SWINGFOG'.

Vlieënde insekte:

- a) Hou deure en vensters toe gedurende verneweling en indien moontlik hou toe oornag.
- b) Benewel alle areas teen 'n dosis van $1 \ell / 1\,000 \text{ m}^3$.
- c) Weeklikse behandeling word aanbeveel totdat infestasië onder beheer is.

Kruipende insekte:

- a) Hou deure en vensters toe gedurende verneweling en indien moontlik hou toe oornag.
- b) Benewel alle areas teen 'n dosis van $2 \ell / 1\,000 \text{ m}^3$.
- c) Behandel weekliks totdat infestasië onder beheer is.

Vir enige produk navrae, skakel Bayer Environmental Science - 011 921 5911. Slegs vir vergiftigingsnoodgevalle kan Griffon Gif Inligtingsentrum ook gekontak word - 082 446 8946.

NEOPYBUTHRIN[®] is geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle ongemagtigde kopiëring van die etiket is verbode.

www.bayeres.co.za