

SAFETY DATA SHEET



Publication date: February 1998 Sheet number: BES/SA 0084 Revised on: 1 March 2014 Revision number: 11

1) IDENTIFICATION OF THE SUBSTANCE / PREPARATION

Commercial name: **RESPONSAR® EW**

Usage: Insecticide

Company identification: Bayer (Pty.) Ltd.
Reg. No. 1968/011192/07
P.O. Box 143, Isando 1600
SOUTH AFRICA

Telephone: +27 11 365 8600
+27 11 921 5429

Fax: +27 11 921 5754

Responsible department: Product Development and Regulatory Affairs
+27 11 921 5429/5471/5639
sharika.baijnath@bayer.com

In case of poisoning emergencies:
Bayer (office hours only): +27 11 921 5429/5471/5639
Tygerberg Poison Centre: +27 21 931 6129
Griffon Poison Information Centre: +27 82 446 8946

2) HAZARD IDENTIFICATION OF THE PRODUCT

Risk advice to man and the environment: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
May cause sensitization by skin contact.

3) COMPOSITION / INFORMATION ON THE INGREDIENTS

Chemical nature: Emulsion, oil in water (EW)
Cyfluthrin 50 g/l

Hazardous components:

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
Cyfluthrin	68359-37-5 269-855-7	T+, N	R23, R28, R50/53	5,00
Solvent Naphtha (petroleum), light aromatic	64742-95-6	Xn, N	R10, R37, R51/53, R65, R66, R67	9,00

For the full text of the R phrases mentioned in this Section, see Section 16.

4) FIRST AID MEASURES

General advice: Move out of dangerous area. If the patient is likely to become unconscious, place and transport in stable sideways position. Remove soiled or soaked clothing immediately and dispose of safely.

Inhalation: Move the patient to fresh air and keep at rest.

Skin contact: Wash off immediately with soap and plenty of water. Apply Vitamin E cream or simple body milk. Call a physician or poison control center immediately.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion: Do not induce vomiting. Wash out mouth with water. Call a physician or poison control center immediately.

NOTES TO PHYSICIAN:

Symptoms: Local: Skin and eye paraesthesia which may be severe, usually transient with resolution within 24 hours; eye and mucous membrane irritation; cough.
Systemic: Discomfort in the chest, bronchial hypersecretion, pulmonary oedema, tachycardia, low blood pressure, palpitation, vomiting, diarrhoea, abdominal pain, nausea, salivation, dizziness, blurred vision, headache, apathy, anorexia, somnolence, coma, spasm, convulsions, tremors, ataxia, muscular fasciculation.

Risks: This product contains a pyrethroid. Must NOT be confused with organophosphorus compounds!

Treatment: Local treatment: After eye contact: Instillation of local anaesthetic drops e.g. 1 % Amethocaine Hydrochloride eye

SAFETY DATA SHEET



drops. Give Analgesics as necessary.

Systemic treatment: Endotracheal intubation and gastric lavage, followed by administration of charcoal and sodium sulphate.

Monitoring of respiratory and cardiac functions.

Anti-convulsive therapy: Diazepam i.v. is the remedy of choice; barbiturates, e.g. phenobarbital and calcium gluconate, may also be used.

There is no specific antidote.

Contraindication: Derivatives of adrenaline.

Contraindication: Atropine.

Spontaneous recovery.

5) FIRE FIGHTING MEASURES

Suitable extinguishing media: Water spray, carbon dioxide (CO₂), foam, sand.

Specific hazards during fire fighting:

In the event of fire the following can be released: Hydrogen chloride (HCl), hydrogen cyanide (hydrocyanic acid), hydrogen fluoride, carbon monoxide (CO), nitrous gases (NO_x).

Special protective equipment: In the event of fire and/or explosion do not breathe fumes. Use self-contained breathing apparatus.

Further information: Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6) ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with spilled product or contaminated surfaces.
Wear personal protective equipment. Unprotected persons must be kept away.

Environmental precautions: Do not discharge into the drains, surface water and groundwater.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
Clean contaminated floors and objects thoroughly, observing environmental regulations.
Pack spilled material in suitable, closed containers for recovery or disposal.

Additional advice: Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7) HANDLING AND STORAGE

Advice on safe handling: Use only in area provided with appropriate exhaust ventilation.

Storage: Store in original container at temperatures not exceeding 50 °C.
Keep container tightly closed in a dry and well-ventilated place.
Keep out of reach of children, animals and uninformed persons.
Keep away from food, drink and animal feedingstuffs.
Protect from freezing.

Suitable materials: Coextruded containers with an internal barrier layer made of ethylene vinyl alcohol copolymer (EVOH).
Coextruded containers with an internal barrier layer made of polyamide (PA).
Combination of sheet metal and HDPE.
Deformation through oxygen consumption possible.

8) EXPOSURE CONTROLS AND PERSONAL PROTECTION

Personal protective equipment:

In normal use and handling conditions: Wear protective clothing, overall, rubber gloves and face shield during application.

In all other cases the following recommendations would apply:

Respiratory protection: No personal respiratory protective equipment normally required. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection: Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated.
Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed.
Wash hands always before eating, drinking, smoking or using the toilet.

Eye protection: Wear goggles conforming to EN166 (Field of Use 5 or equivalent).

Skin and body protection: Wear standard coverall and type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SAFETY DATA SHEET



Hygiene measures: Avoid contact with skin, eyes and clothing.
Keep working clothes separately.
Wash hands before breaks and immediately after handling the product.
Remove soiled clothing immediately and clean thoroughly before

9) PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid
Colour: Milky white
Odour: Aromatic
pH value: 2,5-3,5 (undiluted)
Freezing point: -1 °C
Initial boiling point: Approx. 100 °C
Vapour pressure: 27 hPa at 20 °C
134 hPa at 50 °C
170 hPa at 55 °C
Density: Approx. 1,01 g/cm³ at 20 °C
Solubility in water: Emulsifiable
Viscosity: 19,1 mm²/s at 20 °C
Flash point: Not relevant, aqueous solution
Ignition temperature: > 600 °C
Surface tension: 51 mN/m

10) STABILITY AND REACTIVITY

Hazardous reaction: No hazardous reactions when stored and handled according to prescribed instructions.

11) TOXICOLOGICAL INFORMATION

Acute toxicity:
LD₅₀ oral, rat: 2113 mg/kg (Bayer)
LD₅₀ dermal, rat: > 5000 mg/kg (Bayer)
LD₅₀ inhalation: 7576 mg/m³ air (exposure 4 h) (maximum technically producible concentration).
Irritation of the skin/rabbit: Slightly irritant * (Bayer) Does not require labelling.
Irritant to the mucous membranes/rabbit: Slightly irritant * (Bayer) Does not require labelling.
Sensitization, mouse: Sensitizing
(OECD Test Guideline 429, local lymph node assay (LLNA))

12) ECOLOGICAL INFORMATION

Fish toxicity: (active ingredient)
LC₅₀: 3,2 ug/ℓ (96 h); Golden orfe (*Leuciscus idus*) (Bayer)
LC₅₀: 0,47 ug/ℓ (96 h); Rainbow trout (*Oncorhynchus mykiss*) (Bayer)
LC₅₀: 1,5 ug/ℓ (96 h); (*Lepomis macrochirus*) (Bayer)
Toxicity for Daphnia: (active ingredient)
EC₅₀: 0,16 ug/ℓ (48 h); Water flea (*Daphnia magna*) (Bayer)
Toxicity for algae: (active ingredient)
Growth rate: IC₅₀: > 10 mg/ℓ (72 h); Green algae (*Scenedesmus subspicatus*) (Bayer)
No acute toxicity was observed at its limit of water solubility.

13) DISPOSAL CONSIDERATIONS

Disposal product: Disposal considerations In cases where larger amounts of the product have become unusable, it should be established whether material utilisation is possible (if necessary, consult the manufacturer/suppliers). Small amounts of the product and uncleaned empty packaging should be packaged and sealed, labelled and transferred to a suitable incinerator in accordance with the local regulations.

Disposal packaging: Disposal in accordance with local legal provisions.

SAFETY DATA SHEET



14) TRANSPORT INFORMATION

UN Number: 3082
Class: 9
IMDG: -
Ems: F-A, S-F
MFAG: -
Subsidiary risk: •
Packing group: III
Declaration for land shipment: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYFLUTHRIN SOLUTION)
Declaration for sea shipment: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYFLUTHRIN SOLUTION)
Declaration for shipment by air: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYFLUTHRIN SOLUTION)

15) REGULATORY INFORMATION

Classification and labelling in accordance with the EC Directive on dangerous preparations 1999/45/EC as amended.

Classification: Labelling according to EC Directives

Hazardous components which must be listed on the label: Cyfluthrin

Symbol(s):

Xi: Irritant.
N: Dangerous for the environment.

R-phrases(s):

R43: May cause sensitization by skin contact.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s):

S24: Avoid contact with skin.
S35: This material and its container must be disposed of in a safe way.
S37: Wear suitable gloves.
S57: Use appropriate container to avoid environmental contamination.

Exceptional labelling: To avoid risks to man and the environment, comply with the instructions for use.

WHO Classification: III (slightly hazardous).

16) OTHER INFORMATION

Text of R phrases mentioned in Section 3:

R10: Flammable.
R23: Toxic by inhalation.
R28: Very toxic if swallowed.
R37: Irritating to respiratory system.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65: Harmful: may cause lung damage if swallowed.
R66: Repeated exposure may cause skin dryness or cracking.
R67: Vapours may cause drowsiness and dizziness.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

Consult the label for directions for use.

THIS INFORMATION CONCERNS ONLY THE PRODUCT AS CONFORMING TO ITS SPECIFICATIONS AND LIMITED TO THE USES HEREIN STATED.

This sheet complements the technical sheet of use but does not replace it. The information contained on this sheet is based on knowledge of the product on the date of publication. It is given in good faith.

SAFETY DATA SHEET



If the logo in this document is not in colour, this document is a photocopy and could be out of date.